SAFETY DATA SHEET



Revision Date September 25, 2017 Date of the previous version December 2, 2016 Version 3 US/CA

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Melamine

MelaminebyOCI™ GPH Trade name

MelaminebyOCI™ GPH LD MelaminebyOCI™ SLP

Melafine®

Chemical Name 1,3,5-Triazine-2,4,6-triamine

CAS-No 108-78-1

Synonyms Cyanuramide; Cyanurotriamide; 2,4,6-Triamino-s-triazine

C3H6N6 **Formula**

Recommended Use Industrial application: White crystalline powder, used in high performance products like

wood-based panels, laminates, coatings, molding powders, concrete plasticizers and

flame retardants.

Uses advised against Addition to food or feed products.

Details of the supplier of the safety

data sheet

OCI Nitrogen BV Mijnweg 1 P.O. Box 601

6160 AP Geleen, The Netherlands

Tel: +31 (0) 46 7020111 www.ocinitrogen.com

OCI Melamine Americas, Inc. C/O Advanced Louisiana Logistics 501 Louisiana Avenue, Suite 201 Baton Rouge, LA 70802, USA

Tel: +1 (225) 685 30 20 / 685 30 37 Fax: +1 (225) 685 30 03

OCI Trading Shanghai 17N, Feizhou Guoji Building No. 899 Lingling Road Shanghai 200030, China Tel: +86 (0)21 64415441

Fax: +86 (0)21 64415440.

Emergency telephone Chemtrec +1-800-424-9300

Manufacturer: Alert & Care Centre Chemelot (Geleen, The Netherlands)

+31 46 4765555 (24/7)

2. HAZARDS IDENTIFICATION

OSHA Regulatory Status This material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200).

Hazard Statements Not applicable.

Precautionary Statements Not applicable.

Main Symptoms Inhalation of dust in high concentration may cause irritation of respiratory system. Dust

contact with the eyes can lead to mechanical irritation.

Environmental hazard Contains no substances known to be hazardous for the environment. See Section 12 for

additional Ecological Information.

Physical State @20°C Solid

Appearance Powder (Crystalline)

Color White

Odor Odorless / Ammoniacal

Materials to Avoid Oxidizing agents.

Hazards Not Otherwise Classified None known.

(HNOC)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
2,4,6-Triamino-1,3,5-triazine	108-78-1	100

4. FIRST AID MEASURES

General advice No hazards which require special first aid measures.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Get medical attention immediately if

symptoms occur.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Do not induce vomiting without medical advice. Never give anything by

mouth to an unconscious person. Get medical attention immediately if symptoms occur.

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing

is irregular or stopped, administer artificial respiration. Get medical attention immediately

if symptoms occur.

Notes to physicianTreat symptomatically. Hazardous decomposition products formed under fire conditions:

Effects of contact or inhalation may be delayed.

5. FIRE FIGHTING MEASURES

Flammable Properties Not flammable.

Flash point Closed cup >280 °C / >536 °F

Autoignition temperature >500 °C / >932 °F

Suitable Extinguishing Media The product itself does not burn. Use extinguishing measures that are appropriate to

local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None known.

Special Hazard Thermal decomposition can lead to release of irritating gases and vapors: Carbon

oxides, Nitrogen oxides (NOx), Amines, Ammonia, Hydrogen cyanide (Above 600°C).

Protective Equipment and Precautions for Firefighters

tective Equipment and As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Evacuate non-essential personnel. Do not touch or walk through spilled material. Avoid

contact with skin, eyes and clothing. Do not breathe dust. For personal protection see

section 8.

Environmental precautionsAvoid release to the environment. Do not flush into surface water or sanitary sewer

system. Avoid subsoil penetration. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for cleaning up Avoid dust formation. Pick up and transfer to properly labeled containers. Dispose of

contents/container in accordance with local regulations.

Revision Date September 25, 2017

Melamine

7. HANDLING AND STORAGE

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Handle

in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust. Remove and wash contaminated clothing before re-use. Keep away from fire. Avoid dust formation in confined areas. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory

equipment.

Storage Store in accordance with local regulations. Keep containers tightly closed in a dry, cool

and well-ventilated place. Keep in properly labeled containers. Keep away from direct

sunlight, Oxidizing agents.

Recommendation(s): (1) Do not stack big bags > 1000 kg. Do not stack more than two bulk bags <=1000 kg on top of each other in connection with the risk of ripping. (2)

'MelaminebyOCI SLP' may not be stacked.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Ingredients with workplace control parameters.

AIHA WEEL (United States, 2013) TWA 8h: **Other Exposure Guidelines**

> 10 mg/m³, inhalable 5 mg/m³, respirable

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eve protection Tightly fitting safety goggles.

Protective gloves: Neoprene gloves, PVC, (4-8 hours Break through time) (EN 374). **Hand Protection**

Long sleeved clothing. Skin and body protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Recommended filter type

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Do

not eat, drink or smoke when using this product. Ensure that eyewash stations and

safety showers are close to the workstation location.

Environmental Exposure Controls The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Solid

Appearance Powder (Crystalline)

Color White

Odorless / Ammoniacal

pH 7.8 - 9.5 Conc. (% w/w): 10% (as aqueous solution)

Melting/freezing point

354 °C / 669.2 °F (with vaporization)

Boiling point/boiling range

354 °C / 669.2 °F (with vaporization)

Decomposes >280 °C / >536 °F

Flash point Closed cup 280 °C / >536 °F

Closed cup 280 °C / >536 °F

Evaporation rate

Flammability (solid, gas)

Flammability Limits in Air

Not applicable

Not applicable

Vapor pressure <0.02 (<15 mm Hg) kPa (@ 20°C)

Vapor density 4.34 (air = 1)Relative density 1.57 (@20°C / 68°F)

Solubility

Water solubility Slightly soluble 0.348 g/100 ml (@20 °C)

Partition Coefficient log Pow = -1.14

(n-octanol/water)

Autoignition temperature >500 °C / >932 °F

Minimum ignition temperature 658 °C / 1216.4 °F

Decomposition temperature >280 °C / >536 °F

Viscosity, dynamic No information available

Explosive properties Not explosive (On basis of test data)

Oxidizing propertiesNot oxidizingMolecular Weight126.12 g/molSpecific Gravity1.57 g/cm³

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Materials to Avoid Oxidizing agents.

Conditions to Avoid Heat, flames and sparks.

Hazardous Decomposition Products

None under normal use. Thermal decomposition can lead to release of irritating gases and vapors: Carbon monoxide (CO), Carbon dioxide (CO $_2$), Nitrogen oxides (NO $_x$),

Amines, Ammonia, Hydrogen cyanide. >600°C.

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

IngestionBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.InhalationBased on available data, the classification criteria are not met.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,4,6-Triamino-1,3,5-triazine	3161 mg/kg bw (Rat)	-	>5190 mg/m³ air 4h (Rat)

Skin corrosion/irritationNo known effect.

Serious eye damage/irritationDust contact with the eyes can lead to mechanical irritation.

Respiratory or skin sensitisation No known effect.

Germ cell mutagenicity Not known to cause heritable genetic damage.

Carcinogenicity In feeding studies in rats and mice, transitional-cell carcinomas in the urinary bladder

were observed only for male rats and only at high doses of melamine in the diet. No

carcinomas were found for female rats or for mice of either sex. There is no evidence that melamine can cause cancer to humans.

Reproductive toxicity

Not known to cause birth defects or have a deleterious effect on a developing fetus. Not

known to adversely affect reproductive functions and organs.

STOT-single exposure No known effect.

STOT-repeated exposure No known effect.

Aspiration hazard No known effect.

Other information Although exposure to high levels of melamine can cause bladder stones in humans there

is no evidence for cancer developing as a result of exposure to melamine. Melamine is classified by the International Agency for Research on Cancer (IARC) as Group 2B

(possibly carcinogenic to humans).

12. ECOLOGICAL INFORMATION

Ecotoxicity effects Based on available data, the classification criteria are not met.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
2,4,6-Triamino-1,3,5-triazine	EC50: 325 mg/L 96h	LC50: >3000 mg/L 96h		NOEC: >= 11 mg/L 21d
	Pseudokirchneriella	Oncorhynchus mykiss	Nitrosomonas sp. and	Daphnia magna
	subcapitata	NOEC: >=5.1 mg/L 36d	Nitrobacter sp.	(reproduction)
	NOEC: 98 mg/L 96h	Pimephales promelas		
	Pseudokirchneriella			
	subcapitata			

Persistence and degradability Not readily biodegradable. Not inherently biodegradable.

Bioaccumulative potential Bioaccumulation is unlikely.

Chemical Name	Log Pow	Bioconcentration factor (BCF)	
2,4,6-Triamino-1,3,5-triazine	-1.14	<0.38	

Mobility in soil

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

According to: US DOT, IMDG, ICAO/IATA, ADR.

Not regulated.

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL
2,4,6-Triamino-1,3,5-triazine	Listed	Listed (DSL)

Federal Regulations

SARA 311/312 Hazard Categories

Acute Health Hazard No **Chronic Health Hazard** Nο **Fire Hazard** No **Sudden Release of Pressure** No Hazard

No **Reactive Hazard**

Clean Water Act This product does not contain any substances regulated as pollutants pursuant to the

Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA This material, as supplied, does not contain substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and

Liability Act (CERCLA) (40 CFR 302).

State Regulations

This product does not contain any Proposition 65 chemicals. **California Proposition 65**

U.S. State Right-to-Know Regulations

No information available.

Other information

No information available.

International Regulations

This product has been classified in accordance with the hazard criteria of the Controlled Canada

Products Regulations (CPR) and the MSDS contains all the information required by the

CPR.

WHMIS Hazard Class Non-controlled.

16. OTHER INFORMATION

Revision Date September 25, 2017

Version

Revision Note New layout. SDS sections updated: 1, 8, 11.

Training Advice Workers must be trained in the proper use and handling of this product as required

under applicable regulations.

Abbreviations/acronyms ACGIH TLV: American Conference of Governmental Industrial Hygienists - Treshold

Limit Value

OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure

Limits

NIOSH IDLH: National Institute for Occupational Safety and Health - Immediately

Dangerous to Life or Health

OSHA: Occupational Safety and Health Administration IARC: International Agency for Research on Cancer

NTP: National Toxicity Program

SARA: Superfund Amendments and Reauthorization Act

ACGIH: American Conference of Governmental Industrial Hygienists

CFR: U.S. Code of Federal Regulations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous

Goods by Road)

DOT: Department of Transport

IMDG: International Maritime Dangerous Goods Code IATA: International Air Transport Association ICAO: International Civil Aviation Organization

WHMIS: Workplace Hazardous Materials Information System

CPR: Controlled Products Regulations

SDS No. OC00016

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet